

series ultra thin on wall speaker

IC Series adopts full range loudspeaker specially designed for cinema, which has wide frequency response and good power handling. Ultra thin on wall design, noble and bright piano paint, simple, fashionable and compact, can be easily integrated into a variety of decorative styles of home environment, highlighting high-grade style. The ultra-thin design is perfectly matched with the living room LCD TV, coupled with active subwoofer, you can create a set of living room cinema system, which is also suitable for Dolby atmos sky channel.







IC-401 Specification

Driver components	4" Fullrange speaker×1
• Driver components	4 Fullialige Speakerx I
• Frequency	100-26000Hz±3dB
• Impedance	8Ω
Power Handling	60W
Sensitivity	87dB
• Finish	High Gloss Paint
• Dimensions	180(H)*230(W)*70(D)mm
Shipping dimensions	350(H)*560(W)*270(D)mm (5pcs/CTN)
Net weight	2.2Kg /each
Shipping weight	12Kg /each (5pcs/CTN)

IC-601 Specification

• Driver components	6.5" Fullrange speaker×1
• Frequency	80-18000Hz±3dB
• Impedance	8Ω
Power Handling	80W
• Sensitivity	90dB
• Finish	High Gloss Paint
FinishDimensions	High Gloss Paint 240(H)*305(W)*95(D)mm
• Dimensions	240(H)*305(W)*95(D)mm



