



## BT-430 Soundbar

---

*If you don't have any sound cable embedded in your living room or room, but want to experience the shocking audio effect of cinema level, BT-430 Soundbar should be your ideal choice.*

*Different from other soundbar products on the market, BT-430 is designed according to the standard of fixed installation theater sound system in terms of material and sound.*

*It is equipped with a high-power wireless active subwoofer and multiple input interfaces. It does not need complicated installation settings. It only needs to be hung on the wall to enjoy high fidelity shocking sound effect.*

- *Ultra thin wall hanging design can be used with large screen laser projection TV, and the projection light source will not be blocked under the lower part.*
- *4-channel low distortion Class D amplifier module, which brings endless power for the speaker.*
- *The built-in audio DSP chip with a sampling frequency of 192Khz can accurately correct each speaker.*
- *The 5.8G wireless connection between the subwoofer and soundbar allows you to get rid of the wire and make the subwoofer more flexible.*
- *High fidelity Bluetooth module supporting aptx lossless audio transmission to enjoy high quality wireless audio*




## BT-430 Soundbar Specification


|                       |   |
|-----------------------|---|
| • Frequency           | 70-20000Hz±3dB                              |
| • Inputs              | RCA×2/Coaxial×1/Optical×1/HDMI(ARC)×1/USB×1 |
| • Power               | 50W×4/4Ω                                    |
| • Bluetooth           | Bluetooth4.2, 5.8G Wireless Transmitter     |
| • Driver components   | 4.5" Woofer×2, 1"Dome Tweeter×2             |
| • Power Supply        | 24V AC Adapter                              |
| • Finish              | High Gloss Paint                            |
| • Dimensions          | 155(H)*1200(W)*73(D)mm                      |
| • Shipping dimensions | 220(H)*1260(W)*135(D)mm                     |
| • Net Weight          | 7.5Kg /each                                 |
| • Shipping weight     | 12Kg /each                                  |

## P-200 Active Subwoofer Specification

|                       |                           |
|-----------------------|---------------------------|
| • Frequency           | 35-100Hz±3dB              |
| • Inputs              | 3.5mm Input×1             |
| • Power               | 300W/4Ω                   |
| • Bluetooth           | 5.8G Wireless Transmitter |
| • Driver components   | 8" Subwoofer×1            |
| • Power Supply        | AC 100~240V, 60/50Hz      |
| • Finish              | High Gloss Paint          |
| • Dimensions          | 296(H)*270(W)*270(D)mm    |
| • Shipping dimensions | 355(H)*330(W)*330(D)mm    |
| • Net Weight          | 7.6Kg /each               |
| • Shipping weight     | 11.5Kg /each              |



BT-430



P-200

